



## VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM

(Deemed to be University under section 3 of the UGC Act 1956)

### Homoeopathy

#### Instructions / Note:

1. Answer all the questions. Each question carries one mark.
2. No negative marks for wrong answers.
3. Read each question carefully and answer in the OMR sheet provided for each question with only blue/ black pen to fill the circles in the OMR Sheet.
4. Return the question paper along with the OMR sheet.

Time: 90 Minutes

Venue: \_\_\_\_\_.

[35X1=35]

### Part -B

1. Rubric 'Pyromania' is found in:  
A. Kent Repertory  
B. BTPB  
C. BBCR  
D. Knerr Repertory
2. The first step in treatment of accommodative convergent squint in Children is  
A. Surgery  
B. Convergence  
C. Occlusion  
D. Refractive error Correction
3. Common name of Robinia is:  
A. Cevadilla  
B. Rose laurel  
C. Mountain laurel  
D. Yellow locust
4. Twitching of every muscle from eye to toes without consciousness is found in  
A. Nux Vomica  
B. Hyosyamusniger  
C. Causticum  
D. Ignatia
5. Varicella Zoster remains latent in:  
A. Trigeminal Ganglion  
B. T cells



**VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM**  
**(Deemed to be University under section 3 of the UGC Act 1956)**

- C. B cells
  - D. Macrophages
6. Title of the book written by Dr Stuart Close on Homoeopathic Philosophy
- A. Lectures on Homoeopathic Philosophy
  - B. Principles and art of cure in Homoeopathy
  - C. The genius of Homoeopathy
  - D. Science of Therapeutics
7. In Psoriatic arthropathy the Characteristic joint involved
- A. Proximal Interphalangeal joint
  - B. Distal Interphalangeal joint
  - C. Wrist joint
  - D. Metacarpophalangeal Joint
8. Largest chapter in Kent's Repertory
- A. Mind
  - B. Extremities
  - C. Generalities
  - D. Genitalia
9. A muscle biopsy is useful in the diagnosis of all the following except
- A. Forbe's disease
  - B. Mac Ardle's disease
  - C. Von Gierke's disease
  - D. Pompe's disease
10. Pulse Full,irregular,very slow and weak ,intermittening every 3<sup>rd</sup>,5<sup>th</sup> or 7<sup>th</sup> beat
- A. Arnica
  - B. Gelsemium
  - C. Spigelia
  - D. Digitalis
11. Wernicke's encephalopathy is due to deficiency of:
- A. Thiamine
  - B. Riboflavin
  - C. Pyridoxine
  - D. Niacin
12. Primary importance to 'Pathological Generals' given by:
- A. Dr Boger
  - B. Dr Boenninghausen
  - C. Dr J.T. Kent



D. Dr Gross

**13. The Fetal component of Placenta is;**

- A. Chorionlaeve
- B. Chorionfrondosum
- C. Decidua capsularis
- D. Decidua basalis

**14. Pregnancy with severely affected Rh Immunised fetus may be complicated by**

**(Bihar/AYUSH/**

**Homoeo/MO/QP/2014):**

- A. Polyhydramnios
- B. Fetalhydrops
- C. Fetal cardiac failure
- D. All of the above

**15. Powder burns appearance are Pathognomic of**

- A. Tb of genital tract
- B. pelvic endometriosis
- C. Uterine fibroid
- D. Chronic PID

**16. The most reliable method of estimating blood alcohol level:**

- A. Cavetti's test
- B. Breath alcohol analyser
- C. Thin-layer chromatography
- D. Gas-liquid chromatography

**17. Dying declaration can be recorded by:**

- A. Magistrate only
- B. Doctor only
- C. Police in presence of accused
- D. Anyone

**18. Where does rigor mortis starts from:**

- A. Kidney
- B. Heart
- C. Stomach
- D. Eye

**19. These tests are used to verify the efficacy of pasteurization of milk EXCEPT:**

- A. Methylene blue reduction test
- B. Phosphatase test
- C. Coliform count



## VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM

(Deemed to be University under section 3 of the UGC Act 1956)

- D. Standard plate count
20. **These tests are used to verify the efficacy of pasteurization of milk EXCEPT:**
- A. Methylene blue reduction test
  - B. Phosphatase test
  - C. Coliform count
  - D. Standard plate count
21. **These tests are used to verify the efficacy of pasteurization of milk EXCEPT:**
- A. Methylene blue reduction test
  - B. Phosphatase test
  - C. Coliform count
  - D. Standard plate count
22. **Polarimeter is used for determining:**
- A. Specific Gravity
  - B. pH
  - C. Optical rotation
  - D. Boiling point
23. **Glomerular filtration is most dependent on?**
- A. Renal blood flow
  - B. Pressure in Bowman's capsule
  - C. Glomerular capillary pressure
  - D. Plasma membrane pressure
24. **Ovulation is associated with sudden rise in:**
- A. Prolactin
  - B. Testosterone
  - C. LH
  - D. Oxytocin
25. **Ovulation is associated with sudden rise in:**
- A. Prolactin
  - B. Testosterone
  - C. LH
  - D. Oxytocin
26. **From which layer of oyster shell, Calcarea Carb is prepared:**
- A. Inner layer
  - B. Middle layer
  - C. Outer Layer
  - D. All of the above



**27. Medicine prepared from spider poison:**

- A. Cantharis
- B. Tarentula
- C. Bufo
- D. Murex

**28. All of the following belong to family Loganiaceae except:**

- A. Nux vomica
- B. Ignatia
- C. Rhododendron
- D. Gelsemium

**29. The stage in the life cycle of plasmodia responsible for an infection and can be identified with**

**distinctive appearance in thick smears of peripheral blood is:**

- A. Schizont
- B. Trophozoite
- C. Gametocyte
- D. Merozoite

**30. One of the boundary of Inguinal Triangle is:**

- A. Conjoint tendon
- B. Pectineal line
- C. Linea semilunaris
- D. Inferior epigastric artery

**31. Nerve supply of Extraocular muscles;**

- A. Oculomotor
- B. Abducent
- C. Trochlear
- D. All of the above

**32. Which rib of the chest is more oblique:**

- A. 1<sup>st</sup> rib
- B. 2<sup>nd</sup> rib
- C. 9<sup>th</sup> rib
- D. 10<sup>th</sup> rib

**33. After birth of an infant which artery is obliterated:**

- A. Obliteration of the hypo-gastric artery
- B. Obliteration of the epigastric artery
- C. Obliteration of the umbilical artery
- D. Obliteration of brachial artery



**VINAYAKA MISSION'S RESEARCH FOUNDATION, SALEM**  
**(Deemed to be University under section 3 of the UGC Act 1956)**

**34. Sudden onset of cough followed by increasing dyspnoea is characteristic of:**

- A. Pleural effusion
- B. Lobar pneumonia
- C. Myocardial infarction
- D. Pneumothorax

**35. Seronegative Arthritis include:**

- A. Ankylosing spondylitis
- B. Reiter's arthritis
- C. Psoriatic arthritis
- D. All of the above

